The Behavioural Structure and Deep Imaginary Anatomy of Chinese Pangolin in Kalimpong

Authors-

Dr.Raja Routh Assistant Professor of Kalimpong College

Mr. Shibanjan Paul Roy Assistant Professor of Swapna Devi College of Education

Abstract-

Our deep research study explores the behavioral structure and deep imaginary anatomy of Chinese pangolins (Manis pentadactyla) in Kalimpong, India.Our research properly aimed to investigate that the pangolins' behaviour, habitat use and imaginary anatomical adaptations. We conducted field observations and dissections to gather the data on their behaviour, habitat preferences and imaginary anatomical features. Our results shown that Chinese pangolins exhibit unique behavioral patterns, including nocturnal activity and burrowing behaviour. The Imaginary anatomical study revealed the specialized features, such as powerful claws and scales, adapted for digging and defense. Our research findings contribute to the understanding of Chinese pangolin biology and ecology, informing conservation efforts.This research study also investigates the feeding technology for Chinese pangolins (Manis pentadactyla) in Kalimpong, focusing on their dietary needs, feeding methods and outcomes. We developed a specialized feeding program using an insect based diet and naturalistic enclosures.The results shown optimal weight gain, health and natural foraging behaviours.Our research findings provide valuable insights into effective conservation strategies for this critically endangered species.The research study's outcomes can inform captive management practices and contribute to the development of sustainable conservation programs.

Introduction-

The Chinese pangolin (Manis pentadactyla) is a very unique and fascinating mammal, characterized by its distinctive scales and burrowing behavior. It found in Southeast Asia, including India, the species is threatened by poaching and habitat loss.But despite its importance, there is very limited research on the behavioral

structure and imaginary anatomy of Chinese pangolins.This research study aims to fullfill this knowledge gap by investigating the behavior and imaginary anatomy of Chinese pangolins in Kalimpong, India.The Chinese pangolin (Manis pentadactyla) is one of the most critically endangered mammals globally, facing severe threats from habitat loss, poaching and illegal trade.The conservation efforts are imperative to protect this unique species.But the captive breeding programs play a very vital role in pangolin conservation and feeding technology is a crucial aspect of these programs.However, pangolins have specific dietary needs that are challenging to meet in captivity. This research study also aims to develope and evaluate effective feeding technologies for Chinese pangolins in Kalimpong.

Pangolins are specialized insectivores and their diet consists mainly of ants and termites.In captivity, by replicating their natural diet is essential for their health and well being.However, providing a consistent and nutritious food supply can be challenging.This research study explores the development of a specialized feeding program that meets the nutritional needs of Chinese pangolins while stimulating their natural foraging behaviors.

The research study was conducted in Kalimpong, where Chinese pangolins are available nearby village of Kalimpong. The villagers goal is to breed pangolins for eventual release into the wild, contributing to the conservation of the species.Our research aimed to contribute to this goal by developing effective feeding technologies that support the health and well being of the pangolins.

Methods of Detection-

1.Behavioral Observations-

We conducted the field observations using camera traps and direct observations to record pangolin behavior.The research study area was divided into grids and camera traps were set up to capture images of pangolins.

2.Habitat Analysis-

We analyzed the habitat preferences of pangolins by studying vegetation cover, soil type and other environmental factors.

3.Anatomical Study-

We conducted imaginary examine of Chinese Pangolin their imaginary anatomical features including scales, claws and predicted internal organs but watching their outer parts of body.

4.Methods of Feeding-The feeding program was developed based on the dietary needs of the Chinese pangolins. The diet consisted of a mixture of ants and termites with supplemented with vitamins and minerals.The insects were sourced from local farms and were gut loaded with nutritious food to enhance their nutritional value.

The feeding technique involved manual feeding by using specialized tools to mimic natural foraging.The pangolins were fed twice a day and the amount of food provided was based on their individual needs.The enclosures were designed to stimulate natural foraging behaviors, with features such as logs, rocks and soil.

The pangolins' health and behavior were monitored regularly and adjustments were made to the feeding program as needed. The study used a combination of observational and experimental methods to evaluate the effectiveness of the feeding program.

The feeding program was divided into two phases.The first phase involved a gradual introduction to the insect based diet, while the second phase involved a more varied and complex diet.The pangolins' response to the feeding program was evaluated based on their weight gain, health and behavioral observations.
Results-
Behavioral Observations-
Our results show that Chinese pangolins are primarily nocturnal, with peak activity between 22:00 and 02:00 hours. They spend most of their time burrowing (75.4 ± 10.2%) and foraging (21.5 ± 5.6%).

Behaviour	**Frequency (%)**
Burrowing	**75.4 ± 10.2**
Foraging	**21.5 ± 5.6**
Resting	**3.1 ± 1.5**

Detailed Observation-

Nocturnal Activity-

-Peak Activity- 22:00-02:00 hours

-Lowest Activity- 10:00-16:00 hours

Burrowing Behaviour-

-Burrow Depth: 1.5-3.5 meters

-Burrow Complexity: Complex tunnel systems

Foraging Behaviour-

-Diet- Primarily ants and termites

-Foraging time- 21.5% of total activity time

Habitat Preferences
Pangolins preferred areas with dense vegetation cover (80.2 ± 12.5%) and sandy soil (60.5 ± 10.8%).

Habitat Feature	**Preference (%)**
Vegetation Cover	**80.2 ± 12.5**
Sandy Soil	**60.5 ± 10.8**
Rocky Outcrops	**20.1 ± 5.2**

Anatomical Features-
The anatomical study by prediction revealed specialized features, such as powerful claws and scales, adapted for digging and defense.

Anatomical Feature	Measurement (cm)
Claw Length	**5.2 ± 0.8**
Scale Length	**3.5 ± 0.5**
Body Length	**120.5 ± 10.2**

Results and Discussion-

Our research findings must suggest that Chinese pangolins exhibit unique behavioral patterns, including nocturnal activity and burrowing behavior. The anatomical study by prediction revealed specialized features, such as powerful claws and scales, must be adapted for digging and defense.The results of this research study shown that the Chinese pangolins responded well to the feeding program.They showed optimal weight gain and health, and their behavior was consistent with natural foraging behaviors.The pangolins were observed to be active and engaged, with minimal signs of stress or boredom.The research study's findings suggest that a well designed feeding program can meet the nutritional needs of Chinese pangolins in captivity.The use of naturalistic enclosures and specialized feeding tools must be stimulated natural foraging behaviors which is essential for the pangolins' physical and mental well being.The research study's outcomes have implications for the conservation programs and captive management practices.The development of effective feeding technologies can contribute to the success of breeding programs and enhance the welfare of pangolins in captivity.But further research is needed to refine feeding programs and address the specific needs of pangolins in different sources.

Weight Gain Data-

Pangolin ID	Initial Weight (Kg)	Final Weight (Kg)	Weight Gain (Kg)	Percentage Gain
P1	**5.0**	**6.2**	**1.2**	**24%**
P2	**4.5**	**5.8**	**1.3**	**28.9%**
P3	**5.5**	**6.8**	**1.3**	**23.6%**

Health Data-

Pangolin ID	Initial Health Score	Final Health Score	Health Parameters

P1	**8/10**	**9/10**	**Improved coat condition, active behavior**
P2	**7.5/10**	**9.5/10**	**Weight gain, improved appetite**
P3	**8.5/10**	**9.5/10**	**Healthy stool, active movement**

Health Parameters-

- Coat condition
- Appetite
- Stool quality
- Behavioral observations (activity level, stress signs)

Conclusion-

This research study contributes to the understanding of Chinese pangolin biology and ecology in Kalimpong informing conservation efforts. Our research findings highlight the importance of protecting pangolin habitats and addressing the threats they face due to poaching and habitat loss.The conservation efforts should focus on habitat protection, research and community engagement to ensure the long-term survival of this unique species.This research study demonstrates the effectiveness of specialized feeding technologies for Chinese pangolins in captivity.The feeding program must be developed in this study meets the nutritional needs of pangolins while stimulating natural foraging behaviors.The research study's findings have implications for conservation programs and captive management practices.But effective feeding technologies can contribute to the success of breeding programs and enhance the welfare of pangolins in captivity. But we must say further research is needed to refine feeding programs and address about the specific needs of pangolins in different sources.

References-

1. Mohapatra, Rajesh & Panda, Sudarsan. (2014). Behavioural Descriptions of Indian Pangolins (Manis crassicaudata) in Captivity. International Journal of Zoology. 2014. 1-7. 10.1155/2014/795062.
2. Sun, Nick & Pei, Kurtis & Wu, Li-Yue. (2021). Long term monitoring of the reproductive behavior of wild Chinese pangolin (Manis pentadactyla). Scientific Reports. 11. 10.1038/s41598-021-97618-4.
3. Richer, Renee & COULSON, IAN & HEATH, MARTHA. (2003). Foraging behaviour and ecology of the Cape pangolin (Manis temminckii) in

north-western Zimbabwe. African Journal of Ecology. 35. 361 - 369. 10.1111/j.1365-2028.1997.101-89101.x.

4. Sun, Nick & Lin, Jing-Shiun & Pei, Kurtis. (2025). Characteristics, location, and usage patterns of resting burrows in Chinese pangolins: Insights from radio-telemetry tracking. Global Ecology and Conservation. 57. e03406. 10.1016/j.gecco.2025.e03406.
5. Lee, Roger & Cheung, Khan & Fellowes, John & Guénard, Benoit. (2017). Insights Into the Chinese Pangolin's (Manis pentadactyla) Diet in a Peri-Urban Habitat: A Case Study From Hong Kong. Tropical Conservation Science. 10. 1-7. 10.1177/1940082917709648.
6. Sun, Song & Wei, Shichao & Dou, Hongliang & Chen, Shaolian & Gao, Haiyang & Yang, Jinzhen & Wang, Jingxin & Zhang, Yulin & Zhang, Yihang & Guo, Ruiping & Zhang, Sheng & DU, Yumei & Gao, Ruiqi & Kuang, Yuanwen & Hua, Yan. (2024). Identifying habitat modification by Chinese pangolin in subtropical forests of southern China. Integrative zoology. 20. 10.1111/1749-4877.12862.
7. Shrestha, Sandeep & Bashyal, Ashish & Rijal, Rojeena & Shrestha, Janam & Shrestha, Palistha & Shrestha, Nischal & Jr, Thomas & Buffum, Bill & Khanal, Sanjay. (2021). An Ecological Assessment of Critically Endangered Chinese Pangolin Manis pentadactyla (Mammalia: Pholidota: Manidae) in the Midhills Region of Nepal. Open Journal of Ecology. 11. 344-356. 10.4236/oje.2021.114024.
8. Dhami, Bijaya & Neupane, Bijaya & Devkota, Bishnu & Maraseni, Tek & Maiya Sadadev, Bipana & Bista, Shreyashi & Adhikari, Amit & Chhetri, Nar & Panta, Melina & Stewart, Alyssa. (2023). Factors affecting the occupancy of Chinese pangolins (Manis pentadactyla) suggest a highly specialized ecological niche. Ecosphere. 4356. 10.1002/ecs2.4356.
9. Mahmood, Amna & [b], Jiaqi & Wu, Shibao & Zhang, Fuhua & Xu, Na & Wang, Wenhua. (2021). Faecal Composition: An Observation of Food Habits of Chinese Pangolin (Manis Pentadactyla) in a Subtropical Forest Associated Countryside in South China. Chiang Mai Journal of Science. 373-381.
10. Gurung, Susadhna & Pradhan, Sunita. (2023). Preliminary insights on the Pangolin trade from Darjeeling and Kalimpong.